## **AMENDMENT**

## IN THE CLAIMS

Please amend the claims as follows:

- 81. (currently amended) An apparatus for delivering voltage pulses to tissue so as to establish an electric field sufficient to assist the introduction of a therapeutic agent into a cell of a tissue, wherein the apparatus comprises:
  - a support member having disposed thereon (one) or more opposing pairs of a) electrodes arranged relative to one another to form an electrode array; and
  - b) a power supply in electrical communication with the pair(s) of electrodes disposed in the support member, wherein the power supply provides voltage pulses to at least a pair of the electrodes to effect electroporation.
- 82. (original) The apparatus according to claim 81, wherein said apparatus is configured to be hand-held.
- 83. (currently amended) The apparatus according to claim 81, wherein said apparatus is further configured to include an electrically conductive cover.
- 84. (original) The apparatus according to claim 81, wherein said electrodes are attached to said support member and are additionally, operatively connected to a pulse generator.
- 85. (original) The apparatus according to claim 84, wherein said pulse generator is not contained within said support member.
- 86. (original) The apparatus according to claim 81, wherein said electrodes are detachable from said support member.
- 87. (original) The apparatus according to claim 81, wherein said apparatus is configured to

comprise a reservoir for a therapeutic agent.

- (original) The apparatus according to claim 87, wherein said reservoir comprises a porous 88. reservoir.
- 89. (original) The apparatus according to claim 81, wherein said electrode comprises a porous reservoir for said therapeutic agent.
- 90: (canceled)
- 91. (original) The apparatus according to claim 86, further comprising a detachable electrode mounting bracket.
- 92. (original) The apparatus according to claim 91, wherein said detachable electrode mounting bracket has said electrode detachably adhered thereto.
- 93. (original) The apparatus according to claim 92, wherein said electrode mounting bracket is square, round, contoured, or tube shaped.
- 94. (original) The apparatus according to claim 93, wherein said tube shaped electrode mounting bracket has a central core comprising an axle, about which said electrode mounting bracket is rotatable.
- 95. (original) The apparatus according to claim 90, wherein said electrode comprises an adhesive layer for attachment of said electrode to said electrode mounting bracket.
- 96. (original) The apparatus according to claim 81, wherein said electrode is disposable.
- 97. (original) The apparatus according to claim 81, wherein said electrodes are a meander type electrode or a micropatch electrode.

- 98. (original) The apparatus according to claim 97, wherein said meander type electrode comprise an interweaving array of electrically conductive electrode fingers coated on a thin film.
- 99. (currently amended) The apparatus according to claim 81 and 98, wherein said electrodes have a width of about 21 mm.
- 100. (currently amended) The apparatus according to claim 81 and 99, wherein said electrodes are separated by a gap of about 0.2 mm.
- 101. (original) The apparatus according to claim 81, wherein said pulse generator is powered by a battery, optionally contained within said support member.
- 102. (original) The apparatus according to claim 81, wherein a portion of said support member is electrically conductive.
- 103. (original) The apparatus according to claim 102, wherein said electrically conductive portion of said support member functions as a return conductor for said electrode when a conductive material is disposed between said electrode and said electrically conductive portion of said support member.
- 104-105. (canceled)
- 106. (original) The apparatus according to claim 81, further comprising a vibrating unit.
- 107. (original) The apparatus according to claim 81, further comprising a phonophoresis unit.
- 108. (original) The apparatus according to claim 81, further comprising a pressure sensor unit.
- 109. (original) The apparatus according to claim 81, further comprising a unit to measure and

record the skin resistance of the subject.

- 110. (canceled).
- 111. (original) The apparatus according to claim 81, further comprising a means for applying iontophoresis.
- 112. (original) The apparatus according to claim 111, wherein said means further comprises a switching unit to allow for switching between electroporation and iontophoresis.
- 113. (original) The apparatus according to claim 106, wherein said vibrating unit applies ultra sound.
- 114. (original) The apparatus according to claim 81, wherein said pulses are electrical impulses.
- 115. (original) The apparatus according to claim 114, wherein said pulses are selected from the group consisting of unipolar, bipolar, exponential and square wave forms.
- 116. (original) The apparatus according to claim 97, wherein said meander electrode is insulated or porous.
- 117. (original) The apparatus according to claim 81, wherein said electrodes are selected from the group consisting of wire, porous, and meander electrodes.